

TITLE: DIGITAL RECORDING MICROPHONE

BACKGROUND OF THE INVENTION

The present invention relates to a digital recording microphone. More particularly, the present invention
05 relates to a digital recording microphone which has a digital recorder.

A conventional microphone cannot convert a voice to a digital file directly. Therefore, the voice should be recorded and converted to the digital file by different
10 machines.

SUMMARY OF THE INVENTION

An object of the present invention is to provide a digital recording microphone which has a digital recorder to convert a voice into a digital file directly.

15 Another object of the present invention is to provide a digital recording microphone which has a digital recorder to convert a voice into a word file directly.

In accordance with a first preferred embodiment of the present invention, a digital recording microphone
20 comprises a hollow rod, a head disposed on the hollow rod, a connector disposed in a bottom of the hollow rod, a digital recorder disposed in the hollow rod, and a cover disposed on the hollow rod to cover the digital recorder. The hollow rod has a speaker, a line-in jack,
25 an earphone jack, and a personal computer connecting

jack. The digital recorder has a display, a pause button,
a fast-selection button, a hold button, a clear-away
button, a play button, a repeat button, a record button,
a fast-forward button, a recording-mode button, a memory
05 device, and a plurality of cells.

In accordance with a second preferred embodiment of
the present invention, a digital recording microphone
comprises a rod, a head disposed on the rod, a socket
disposed in a bottom of the rod, and a digital recorder
10 disposed on the bottom of the rod. The digital recorder
has a display, a pause button, a fast-selection button,
a hold button, a clear-away button, a play button, a
repeat button, a record button, a fast-forward button,
a recording-mode button, a memory device, a plurality of
15 cells, a lower connector, and an upper connector. The
upper connector engages with the socket. A plug engages
with the lower connector.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a perspective view of a digital recording
20 microphone of a first preferred embodiment in accordance
with the present invention; and

FIG. 2 is a perspective exploded view of a digital
recording microphone of a second preferred embodiment
in accordance with the present invention.

25 DETAILED DESCRIPTION OF THE INVENTION

Referring to FIG. 1, a first digital recording microphone comprises a hollow rod 1, a head 11 disposed on the hollow rod 1, a connector 19 disposed in a bottom of the hollow rod 1, a digital recorder 18 disposed in
05 the hollow rod 1, and a cover 30 disposed on the hollow rod 1 to cover the digital recorder 18.

The connector 19 has a plurality of posts 191.

The hollow rod 1 has a speaker 15, a line-in jack 12, an earphone jack 13, and a personal computer
10 connecting jack 14.

The digital recorder 18 has a display 181, a hold button 189, a fast-selection button 180, a pause button 183, a clear-away button 184, a play button 186, a repeat button 185, a record button 182, a fast-forward
15 button 187, a recording-mode button 188, a memory device 16, and a plurality of cells 17.

The display 181 is a liquid crystal display.

The record button 182 starts a recording and stops the recording.

20 The pause button 183 pauses the recording.

The clear-away button 184 clears away a single recording or all the recordings.

The repeat button 185 plays the recording again and again.

25 The play button 186 plays the recording once.

The fast-forward button 187 has a fast-forward function.

The recording-mode button 188 selects a standard mode, a background voice eliminating mode, or voice
05 recording mode.

The fast-selection button 180 stores the recordings in different sections so that a search of a particular recording is fast.

It is an option to provide a computer connecting
10 interface and a voice recognition unit in the digital recorder 18 in order to convert a voice into a word file directly.

The digital recorder 18 transforms a voice into a digital file having a MP3 (motion pictures experts group
15 standard 3) format, an ADPCM (adaptive differential pulse code modulation) format, a CELP (code excited linear prediction) format, or a GSM (anglicizend global standard for mobile communications) format.

Referring to FIG. 2, a second digital recording
20 microphone comprises a rod 2, a head 20 disposed on the rod 2, a socket 21 disposed in a bottom of the rod 2, and a digital recorder 18' disposed on the bottom of the rod 2.

The digital recorder 18' has a display 181', a
25 hold button 189', a fast-selection button 180', a pause

button 183', a clear-away button 184', a play button 186', a repeat button 185', a record button 182', a fast-forward button 187', a recording-mode button 188', a memory device 16', a plurality of cells 17', a lower
05 connector 19', and an upper connector 10'.

The upper connector 10' engages with the socket 21.

A plug 4 engages with the lower connector 19'.

The display 181' is a liquid crystal display.

The record button 182' starts a recording and stops
10 the recording.

The pause button 183' pauses the recording.

The clear-away button 184' clears away a single
recording or all the recordings.

The repeat button 185' plays the recording again
15 and again.

The play button 186' plays the recording once.

The fast-forward button 187' has a fast-forward
function.

The recording-mode button 188' selects a standard
20 mode, a background voice eliminating mode, or voice
recording mode.

The fast-selection button 180' stores the recordings
in different sections so that a search of a particular
recording is fast.

25 It is an option to provide a computer connecting

interface and a voice recognition unit in the digital recorder 18' in order to convert a voice into a word file directly.

05 The digital recorder 18' transforms a voice into a digital file having a MP3 (motion pictures experts group standard 3) format, an ADPCM (adaptive differential pulse code modulation) format, a CELP (code excited linear prediction) format, or a GSM (anglicizend global standard for mobile communications) format.

10 The invention is not limited to the above embodiment but various modification thereof may be made. Further, various changes in form and detail may be made without departing from the scope of the invention.

0007250-05004